

NOV 21 2001

O.M.B. No. 3067-0077
Expires July 31, 2002

ELEVATION CERTIFICATE

ENGINEERING DEPARTMENT

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION

BUILDING OWNER'S NAME Crico LLC - Span Alaska			For Insurance Company Use: Policy Number		
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 16761 146 th Avenue SE			Company NAIC Number		
CITY Monroe	STATE WA	ZIP CODE 98272			
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Snohomish County Tax Parcel Number: 8654 000 017 00 03					
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary.) Industral Warehouse/Distribution					
LATITUDE/LONGITUDE (OPTIONAL) (##° - ##' - ###" or ##.#####)		HORIZONTAL DATUM: <input checked="" type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983		SOURCE: <input type="checkbox"/> GPS (Type): _____ <input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____	

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER City of Monroe 530169		B2. COUNTY NAME Snohomish (Independent City)		B3. STATE Washington	
B4. MAP AND PANEL NUMBER 53061C1357	B5. SUFFIX E	B6. FIRM INDEX DATE 11/8/1999	B7. FIRM PANEL EFFECTIVE/REVISED DATE 11/8/1999	B8. FLOOD ZONE(S) AE	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) 30.0
B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9. <input type="checkbox"/> FIS Profile <input checked="" type="checkbox"/> FIRM <input type="checkbox"/> Community Determined <input type="checkbox"/> Other (Describe): _____					
B11. Indicate the elevation datum used for the BFE in B9: <input checked="" type="checkbox"/> NGVD 1929 <input type="checkbox"/> NAVD 1988 <input type="checkbox"/> Other (Describe): _____					
B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Designation Date _____					

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
*A new Elevation Certificate will be required when construction of the building is complete.

C2. Building Diagram Number 1 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, AR/A, AR/AE, AR/A1-A30, AR/AH, AR/AO
Complete Items C3.-a-i below according to the building diagram specified in Item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.
Datum 1929 Conversion/Comments _____

Elevation reference mark used _____ Does the elevation reference mark used appear on the FIRM? Yes No

- o a) Top of bottom floor (including basement or enclosure) 34.0 ft.(m)
- o b) Top of next higher floor N/A ft.(m)
- o c) Bottom of lowest horizontal structural member (V zones only) N/A ft.(m)
- o d) Attached garage (top of slab) N/A ft.(m)
- o e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area) 34.0 ft.(m)
- o f) Lowest adjacent (finished) grade (LAG) 30.0 ft.(m)
- o g) Highest adjacent (finished) grade (HAG) 34.0 ft.(m)
- o h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade 0
- o i) Total area of all permanent openings (flood vents) in C3.h 0 sq. in. (sq. cm)



SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

EXPIRES 4/31/02

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.
I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.
I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.
CERTIFIER'S NAME Karl W. Lundberg, P.E. LICENSE NUMBER WA 28148

TITLE Project Engineer	COMPANY NAME Barghausen Consulting Engineers, Inc.		
ADDRESS 18215 72 nd Avenue South	CITY Kent	STATE WA	ZIP CODE 98032
SIGNATURE	DATE 10/5/01	TELEPHONE 425-251-6222	

NOV 15 2001

O.M.B. No. 3067-0077
Expires July 31, 2002

ELEVATION CERTIFICATE

ENGINEERING DEPARTMENT

Important: Read the instructions on pages 1 - 7.

SECTION A - PROPERTY OWNER INFORMATION			For Insurance Company Use:	
BUILDING OWNER'S NAME Crico LLC - Span Alaska			Policy Number	
BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 16761 146 th Street SE			Company NAIC Number	
CITY Monroe	STATE WA	ZIP CODE 98272		
PROPERTY DESCRIPTION (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Snohomish County Tax Parcel Number: 8654 000 017 00 03				
BUILDING USE (e.g., Residential, Non-residential, Addition, Accessory, etc. Use a Comments area, if necessary.) Industrial Warehouse Division				
LATITUDE/LONGITUDE (OPTIONAL) (## - ## - ##.## or ##.#####)		HORIZONTAL DATUM: <input checked="" type="checkbox"/> NAD 1927 <input type="checkbox"/> NAD 1983	SOURCE: <input type="checkbox"/> GPS (Type): _____ <input type="checkbox"/> USGS Quad Map <input type="checkbox"/> Other: _____	

SECTION B - FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP COMMUNITY NAME & COMMUNITY NUMBER City of Monroe 530169		B2. COUNTY NAME Independent City <u>Snohomish</u>		B3. STATE Washington	
B4. MAP AND PANEL NUMBER 53061C1357	B5. SUFFIX E	B6. FIRM INDEX DATE 11/8/1999	B7. FIRM PANEL EFFECTIVE/REVISED DATE 11/8/1999	B8. FLOOD ZONE(S) AE	B9. BASE FLOOD ELEVATION(S) (Zone AO, use depth of flooding) 30.0

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in B9.
 FIS Profile FIRM Community Determined Other (Describe): _____

B11. Indicate the elevation datum used for the BFE in B9: NGVD 1929 NAVD 1988 Other (Describe): _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No Designation Date _____

SECTION C - BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: Construction Drawings* Building Under Construction* Finished Construction
 *A new Elevation Certificate will be required when construction of the building is complete.


C2. Building Diagram Number 1 (Select the building diagram most similar to the building for which this certificate is being completed - see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

C3. Elevations - Zones A1-A30, AE, AH, A (with BFE), VE, V1-V30, V (with BFE), AR, ARIA, ARIA/E, ARIA/A-A30, ARIA/H, ARIA/O
 Complete items C3-a-i below according to the building diagram specified in item C2. State the datum used. If the datum is different from the datum used for the BFE in Section B, convert the datum to that used for the BFE. Show field measurements and datum conversion calculation. Use the space provided or the Comments area of Section D or Section G, as appropriate, to document the datum conversion.
 Datum 1929 Conversion/Comments SEE SECTION D

Elevation reference mark used Does the elevation reference mark used appear on the FIRM? Yes No

- a) Top of bottom floor (including basement or enclosure) 34.0 ft.(m)
- b) Top of next higher floor N/A ft.(m) (ONE FLOOR)
- c) Bottom of lowest horizontal structural member (V zones only) _____ ft.(m)
- d) Attached garage (top of slab) _____ ft.(m)
- e) Lowest elevation of machinery and/or equipment servicing the building (Describe in a Comments area) 34.0 ft.(m)
- f) Lowest adjacent (finished) grade (LAG) 30.0 ft.(m)
- g) Highest adjacent (finished) grade (HAG) 34.0 ft.(m)
- h) No. of permanent openings (flood vents) within 1 ft. above adjacent grade _____
- i) Total area of all permanent openings (flood vents) in C3.h 0 sq. in. (sq. cm)

License Number, Embossed Seal, Signature, and Date



SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information.
 I certify that the information in Sections A, B, and C on this certificate represents my best efforts to interpret the data available.
 I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

CERTIFIER'S NAME Karl W. Lundberg		LICENSE NUMBER 28146	
TITLE Project Engineer		COMPANY NAME Barghausen Consulting Engineers, Inc.	
ADDRESS 18215 72 nd Avenue South	CITY Kent	STATE WA	ZIP CODE 98032
SIGNATURE 	DATE 11/5/01	TELEPHONE 425-251-6222	

IMPORTANT: In these spaces, copy the corresponding information from Section A.

BUILDING STREET ADDRESS (Including Apt., Unit, Suite, and/or Bldg. No.) OR P.O. ROUTE AND BOX NO. 16761 146 th Street SE			For Insurance Company Use:	
			Policy Number	
CITY Monroe	STATE WA	ZIP CODE 98272	Company NAIC Number	

SECTION D - SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION (CONTINUED)

Copy both sides of this Elevation Certificate for (1) community official, (2) insurance agent/company, and (3) building owner.

COMMENTS
NGSLs M-59
Elevation = 25.78 (See Attached)

Check here if attachments

SECTION E - BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zone AO and Zone A (without BFE), complete Items E1 through E4. If the Elevation Certificate is intended for use as supporting information for a LOMA or LOMRF, Section C must be completed.

E1. Building Diagram Number __ (Select the building diagram most similar to the building for which this certificate is being completed – see pages 6 and 7. If no diagram accurately represents the building, provide a sketch or photograph.)

E2. The top of the bottom floor (including basement or enclosure) of the building is 4 ft.(m) 0 in.(cm) above or below (check one) the highest adjacent grade. (Use natural grade, if available).

E3. For Building Diagrams 6-8 with openings (see page 7), the next higher floor or elevated floor (elevation b) of the building is ft.(m) in.(cm) above the highest adjacent grade. Complete items C3.h and C3.i on front of form.

E4. For Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?
 Yes No Unknown. The local official must certify this information in Section G.

SECTION F - PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, C (Items C3.h and C3.i only), and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, C, and E are correct to the best of my knowledge.

PROPERTY OWNER'S OR OWNER'S AUTHORIZED REPRESENTATIVE'S NAME
Crisco LLC (Dan Howard)

ADDRESS P.O. Box 1748	CITY Woodinville	STATE WA	ZIP CODE 98072
SIGNATURE	DATE	TELEPHONE 425-483-6111	

COMMENTS

Check here if attachments

SECTION G - COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below.

G1. The information in Section C was taken from other documentation that has been signed and embossed by a licensed surveyor, engineer, or architect who is authorized by state or local law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)

G2. A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.

G3. The following information (Items G4-G9) is provided for community floodplain management purposes.

G4. PERMIT NUMBER	G5. DATE PERMIT ISSUED	G6. DATE CERTIFICATE OF COMPLIANCE/OCCUPANCY ISSUED
-------------------	------------------------	---

G7. This permit has been issued for: New Construction Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building is: ft.(m) Datum:

G9. BFE or (in Zone AO) depth of flooding at the building site is: ft.(m) Datum:

LOCAL OFFICIAL'S NAME	TITLE
COMMUNITY NAME	TELEPHONE
SIGNATURE	DATE

COMMENTS

Check here if attachments

VERTICAL DATUM:

N. G. V. D. 29

NGSLS M-59

ELEVATION = 25.78'

AS DESCRIBED BY NATIONAL GEODETIC SURVEY 1974 REACHED FROM THE INTERSECTION OF U. S. HIGHWAY 2 AND STATE HIGHWAY 203 IN MONROE BY GOING WEST ON U. S. HIGHWAY 2 0.65 MILES, PASS UNDER THE FREEWAY, CONTINUE WEST ON U. S. 2 FOR 1.3 MILES, TURN LEFT INTO PAN-ALASKA FISHERIES INC. PACKING PLANT, GO SOUTHERLY ABOUT 75 YARDS TO A LARGE, LOW WHITE BUILDING WITH A CONCRETE LOADING RAMP AT THE NORTHEAST CORNER AND THE MARK ON THE LEFT ABOUT 25 FEET SOUTH OF THE CENTER OF THE ROAD. (COMPANY OFFICE IS IN THIS BUILDING). THE MARK IS 43 FEET EAST-SOUTHEAST OF THE NORTHEAST CORNER OF THIS BUILDING, 15 FEET EAST OF THE SOUTHEAST CORNER OF THE CONCRETE RAMP AND 0.5 FEET SOUTH OF THE PROJECTED SOUTH SIDE OF THE RAMP. 2 FEET NORTH-NORTHEAST OF THE CENTER OF THE NORTHEAST 1 OF 8 CONCRETE FOUNDATION PILLARS WHICH ONCE SUPPORTED A WATER TANK, AND 1.4 FEET WEST OF A METAL WITNESS POST. THE MARK IS A STANDARD DISK SET IN CONCRETE ABOUT 1 FOOT BELOW THE LEVEL OF THE GROUND. QUARTER, SECTION 34, TOWNSHIP 28 NORTH, RANGE 6 EAST.

STATION RECOVERED (1975)

RECOVERY NOTE BY LOCAL SURVEYOR (INDIVIDUAL OF FIRM) 1975
RECOVERED AS DESCRIBED.