

PARCEL A BEFORE

PNT#	Bearing	Distance	Northing	Easting
104			1627.26	4886.22
	S 01°12'12" E	136.00		
123			1491.28	4889.08
	S 89°48'11" W	60.00		
122			1491.08	4829.08
	S 01°12'12" E	120.00		
106			1371.11	4831.60
	S 89°48'11" W	60.00		
114			1370.90	4771.60
	N 01°12'12" W	256.00		
112			1626.84	4766.22
	N 89°48'11" E	120.00		
104			1627.26	4886.22

Closure Error Distance> 0.0000 Error Bearing> N 90°00'00" E

Closure Precision> 1 in 802148492363252.5 Total Distance> 752.00

Area: 23517SF, 0.5399AC

PARCEL B BEFORE

PNT#	Bearing	Distance	Northing	Easting
123			1491.28	4889.08
	S 01°12'12" E	120.00		
107			1371.31	4891.60
	S 89°48'11" W	60.00		
106			1371.11	4831.60
	N 01°12'12" W	120.00		
122			1491.08	4829.08
	N 89°48'11" E	60.00		
123			1491.28	4889.08

Closure Error Distance> 0.0000

Total Distance> 360.00

Area: 7199SF, 0.1653AC

PARCEL A AFTER

PNT#	Bearing	Distance	Northing	Easting
104			1627.26	4886.22
	S 01°12'12" E	256.00		
107			1371.31	4891.60
	S 89°48'11" W	120.00		
114			1370.90	4771.60
	N 01°12'12" W	256.00		
112			1626.84	4766.22
	N 89°48'11" E	120.00		
104			1627.26	4886.22

Closure Error Distance> 0.0000

Total Distance> 752.00

Area: 30715SF, 0.7051AC